

BEST AVAILABLE COPY

TC/ 932004 / 003038



INVESTOR IN PEOPLE


The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed


Dated 17 December 2004



03DEC03 0856548:5 D00060
P01/770010.00-0327919.7

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)



1. Your reference

SMK/LP6190409

2. Patent application number

(The Patent Office will fill this part in)

0327919.7

2 DEC 2003

3. Full name, address and postcode of the or of each applicant (underline all surnames)

Plant Bioscience Limited
Norwich Research Park
Colney Lane
Norwich
Norfolk NR4 7UH
UNITED KINGDOM

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

7489982001

GB

4. Title of the invention

Enhanced Expression

5. Name of your agent (if you have one)

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

MEWBURN ELLIS
York House
23 Kingsway
London WC2B 6HP

Patents ADP number (if you know it)

109006 /

6. Priority: Complete this section if you are declaring priority from one or more earlier patent applications, filed in the last 12 months.

Country

Priority application number
(if you know it)

Date of filing
(day / month / year)

7. Divisionals, etc: Complete this section only if this application is a divisional application or resulted from an entitlement dispute (see note f)

Number of earlier UK application

Date of filing
(day / month / year)

8. Is a Patents Form 7/77 (Statement of inventorship and of right to grant of a patent) required in support of this request?

YES

Answer YES if

- a) any applicant named in part 3 is not an inventor, or
- b) there is an inventor who is not named as an applicant, or
- c) any named applicant is a corporate body.

Otherwise answer NO (See note d)

9. Accompanying documents: A patent application must include a description of the invention. Not counting duplicates, please enter the number of pages of each item accompanying this form:

Continuation sheets of this form



Description	40
Claim(s)	
Abstract	
Drawing(s)	3 9 1

g

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for a preliminary examination and search (Patents Form 9/77)

Request for a substantive examination (Patents Form 10/77)

Any other documents (please specify)

11. I/We request the grant of a patent on the basis of this application.

Signature(s)

Simon M Kremer

Date 2 December 2003

12. Name, daytime telephone number and e-mail address, if any, of person to contact in the United Kingdom

SIMON M KREMER
0207 240 4405

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 08459 500505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- d) If you have answered YES in part 8, a Patents Form 7/77 will need to be filed.
- e) Once you have filled in the form you must remember to sign and date it.
- f) Part 7 should only be completed when a divisional application is being made under section 15(4), or when an application is being made under section 8(3), 12(6) or 37(4) following an entitlement dispute. By completing part 7 you are requesting that this application takes the same filing date as an earlier UK application. If you want the new application to have the same priority date(s) as the earlier UK application, you should also complete part 6 with the priority details.

ENHANCED EXPRESSIONTECHNICAL FIELD

5

The present invention relates generally to methods and materials for boosting gene expression.

BACKGROUND ART

10

In plants, post-transcriptional gene silencing (PTGS) is manifested as the reduction in steady-state levels of specific RNAs after introduction of homologous sequences in the plant genome. This reduction is caused by an increased turnover of target RNA species, with the transcription level of the corresponding genes remaining unaffected.

It is known that by suppressing PTGS e.g. by mutating or otherwise impairing the function of the mechanistic genes which support it will increase the expression of silenced genes, back to non-silenced levels.

For example the SGS2 and SGS3 genes were found by mutation of a silenced *A. thaliana* plant line containing nptII/p35S/uidA/tRBC (Elmayan, et al. 1998). GUS activity was restored after mutation. The SDE1 and SDE3 genes were found by mutation of a silenced plant line containing p35S/PVX:GFP amplicon and p35S/GFP (Dalmay, et al. 2000b). GFP fluorescence was restored after mutation.

30 Nevertheless, it will be appreciated that methods of increasing the expression of genes over and above those achieved even in such silencing defective contexts would provide a contribution to the art.

DISCLOSURE OF THE INVENTION

The present inventors have discovered that expression of a target gene in a PTGS-suppressed background can be additionally enhanced by the use of Matrix Attachment Regions (MARs). MARs are non-transcribed regions in eukaryotic genomes that are attached to the proteinaceous matrix in the nucleus (reviewed by Holmes-Davis & Comai, 1998; Allen et al., 2000).

It has been hypothesized in the art that MARs may have a role in shielding sequences from gene silencing. In some cases, transgene expression dropped when MARs were removed from homozygous, high-expressing transgenic tobacco lines (Mlynarova et al., 2003 The Plant Cell: 15, 2203-2217). However, when MARs were used to flank vector constructs for transformation of *Arabidopsis thaliana*, no PTGS-shielding effect was observed in populations of hemizygous, primary transformants (De Bolle & Butaye et al. (2003)).

Irrespective of the results above, it was not known or expected that MARs could further enhance expression in contexts in which silencing was impaired by a different mechanism.

Briefly, the present inventors demonstrated that the influence of MARs on the level and the variability of gene expression in *Arabidopsis thaliana* differed significantly between wild-type plants and various *A. thaliana* mutants impaired in the RNA silencing mechanism, with much greater levels of expression being shown by the latter. In one embodiment of the invention it was estimated that GUS expression was enhanced to the extent that the protein accumulated to roughly 10% of the total soluble proteins in the vegetative tissues of transgenic plants.

Particular aspects of, and definitions used in, the invention will now be discussed in more detail.

In general the invention provides a method of producing a transgenic organism in which a target nucleotide sequence is expressed at an enhanced level, the method comprising the steps of:

- 5 (i) providing an organism in which PTGS has been suppressed (which suppression may be pre-existing, or may require the step of suppressing PTGS in the organism e.g. using the methods discussed below),
- (ii) associating said target nucleotide sequence with one or more heterologous Matrix Attachment Region (MARs), and optionally:
- 10 (iii) causing or permitting expression from the target nucleotide sequence in the organism.

Thus, for example, the invention provides a method of achieving enhanced expression of a heterologous target nucleotide sequence in
15 an organism which is deficient in one or more genes required to support PTGS, which method comprises the steps of associating said target nucleotide sequence with one or more MARs. In one embodiment, the or each of the MARs may be introduced to and associated at random with pre-existing gene present in the genome of the organism (e.g. to
20 positions flanking it).

The target nucleotide sequence may be one which is endogenous, but is operably linked to a strong, heterologous promoter or enhancer sequence. Such methods may involve:

- 25 (i) providing an organism in which PTGS has been, or is suppressed (as discussed herein),
- (iia) operably linking said target nucleotide sequence with a heterologous strong promoter or enhancer sequence, and
- (iib) associating said target nucleotide sequence with one or more
30 MARs.

Such methods could be performed analogously to existing studies where e.g. the 35S- promoter is introduced at random into a genome to alter the expression of neighbouring endogenes; or e.g. activation-tagging
35 in which enhancers of the p35S are randomly inserted into a genome to

activate/increase the expression of endogenes for selection of altered phenotypes (Weigel, D., et al. (2000) Activation tagging in Arabidopsis. Plant Physiol., 122: 1003-13.).

- 5 In one embodiment this may be carried out as follows:
- (i) providing an organism in which PTGS has been, or is suppressed (as discussed herein),
 - (iia) providing a target nucleic acid construct comprising (a) a promoter, and (b) one or more Matrix Attachment Regions (MARs)
- 10 associated therewith,
- (iib) introducing said target construct into a cell of the organism, such that the promoter becomes operably linked to an endogenous target nucleotide sequence.
- 15 In another, preferred embodiment, the target nucleotide sequence and promoter will both be heterologous to the organism. Thus this aspect of the invention provides a method of producing a transgenic organism in which a heterologous target nucleotide sequence is expressed at an enhanced level, the method comprising the steps of:
- 20 (i) providing an organism in which PTGS has been suppressed,
 - (iia) providing a target nucleic acid construct comprising (a) an expression cassette including the target nucleotide sequence operably linked to a promoter, and (b) one or more Matrix Attachment Regions (MARs) associated therewith,
- 25 (iib) introducing said target construct into a cell of the organism,

In principle the steps of the method may be carried out in any order i.e. the PTGS may be suppressed after introduction of the construct. Thus the invention provides the steps of:

- 30 (i) providing an organism,
- (iia) associating the target nucleotide sequence with one or more MARs in a cell of the organism as discussed above,
 - (iib) suppressing PTGS in the organism e.g. using the methods discussed below (gene mutation or so on).

However preferably the organism will be one in which PTGS is already suppressed.

In preferred embodiments, the invention is used to enhance expression, particularly the level of translation, of a nucleic acid in a cell, particularly a plant cell. Expression may be enhanced, for instance, by at least about 25-50%, preferably about 50-100%, or more. In certain preferred embodiments at least 5, 10, 15, 20, 25, or 30-fold enhancements of expression may be achieved.

Some particular preferred embodiments will now be discussed.

PTGS suppression

Preferably the organism is one which is deficient in one or more genes required to support PTGS e.g. a plant deficient in one or more of the following:

- 1) SGS2/SDE1: RdRp (Dalmay et al., 2000, Mourrain et al., 2000)
- 2) SGS3: coiled coil protein with unknown function (Mourrain et al., 2000)
- 3) SDE3: RNA helicase (Dalmay et al., 2001)
- 4) AGO1: PAZ-domain protein (Fagard et al., 2000).
- 5) WEX: RNase D (Glazov et al., 2003)

By "deficient" is meant that the activity of the gene (or encoded protein) is impaired. Preferably the gene may be mutated (e.g. a lesion introduced) or otherwise deleted or knocked out. It will be appreciated that such PTGS suppressed organisms may not be entirely PTGS-deficient. The degree of PTGS impairment or deficiency may be assessed using conventional methods e.g. by monitoring the short RNA species (around 25 nt e.g. about 21-23nt RNA) associated with PTGS, or by monitoring mRNA and/or expressed protein (Northern or Western Blots or a reporter gene such as GFP) the existence and severity of PTGS can be assessed (see Hamilton and Baulcombe 1999).

Other means of generally suppressing or silencing PTGS supporting genes will be known to those skilled in the art, and include the use of viral suppressors of GS such as HC-Pro (Anandalakshmi et al., 1998) and RNAi, which is widely used as a technique to suppress certain target genes and to create 'knock-outs' e.g. in functional genomic programs.

As is well known to those skilled in the art, RNAi can be initiated using hairpin constructs that are designed to trigger PTGS of the target gene, based on homology of sequences (Helliwell and Waterhouse 2003). This technique could therefore also be used to silence genes that play a role in PTGS (e.g. SGS2) in plant lines in which the invention is to be applied. RNAi may be achieved by use of an appropriate vector e.g. a vector comprising part of a nucleic acid sequence encoding a PTGS mechanistic gene, which is suitable for triggering RNAi in the cell. For example the vector may comprise a nucleic acid sequence in both the sense and antisense orientation, such that when expressed as RNA the sense and antisense sections will associate to form a double stranded RNA. This may for example be a long double stranded RNA (e.g., more than 23nts) which may be processed in the cell to produce siRNAs (see for example Myers (2003) *Nature Biotechnology* 21:324-328).

25 *MARs*

Optionally only 1 MAR may be associated with the expression cassette, in which case preferably it will be 5' of the cassette (see e.g. Scöffl e.a. 1993, *Transgenic Res.* 2, 93-100; van der Geest e.a. 1994, *Plant J.* 6, 413-423).

Preferably however 2 MARs will be used, which may be the same or different, and which may be from the same or different sources, and these will flank the expression cassette or target nucleotide sequence.

In preferred embodiments the or each MARs will be less than 500, preferably less than 200, and optionally less than 150, 100, or 50 nucleotides upstream of the promoter or downstream of the terminator.

5

The present invention relates to the use of any MAR origin (e.g. animal, plant, yeast) although preferred examples include that from the the chicken lysozyme gene, or from plants such as petunia and tobacco. Other MARs are reviewed in Holmes-Davis and Comai (1998) and Allen, et. al (2000).

10

Organism

The invention may be applied to any organism in which PTGS can be suppressed, particularly eukaryotic organisms including yeasts, fungi, algae, higher plants. Preferably the organism is a higher plant e.g. *Arabidopsis thaliana*.

15

Promoter

20

Preferably the promoter used to drive the gene of interest will be a strong promoter. Examples strong promoters for use in plants include:

25

- (1) p35S: Odell et al.; 1985
- (2) Cassava Vein Mosaic Virus promoter, pCAS, Verdaguer et al., 1996
- (3) Promoter of the small subunit of ribulose biphosphate carboxylase, pRbcS: Outchkourov et al., 2003.

However other strong promoters include pUbi (for monocots and dicots) and pActin.

30

Choice of target genes to enhance

As discussed above, the target gene may be a transgene or an endogene.

35

Genes of interest include those encoding agronomic traits, insect resistance, disease resistance, herbicide resistance, sterility, grain characteristics, and the like. The genes may be involved in metabolism of oil, starch, carbohydrates, nutrients, etc. Genes or traits of interest include, but are not limited to, environmental- or stress-related traits, disease-related traits, and traits affecting agronomic performance. Target sequences also include genes responsible for the synthesis of proteins, peptides, fatty acids, lipids, waxes, oils, starches, sugars, carbohydrates, flavors, odors, toxins, carotenoids, hormones, polymers, flavonoids, storage proteins, phenolic acids, alkaloids, lignins, tannins, celluloses, glycoproteins, glycolipids, etc.

Most preferably the targeted genes in monocots and/or dicots may include those encoding enzymes responsible for oil production in plants such as rape, sunflower, soya bean and maize; enzymes involved in starch synthesis in plants such as potato, maize, cereals; enzymes which synthesise, or proteins which are themselves, natural medicaments such as pharmaceuticals or veterinary products.

Heterologous nucleic acids may encode, *inter alia*, genes of bacterial, fungal, plant or animal origin. The polypeptides may be utilised in planta (to modify the characteristics of the plant e.g. with respect to pest susceptibility, vigour, tissue differentiation, fertility, nutritional value etc.) or the plant may be an intermediate for producing the polypeptides which can be purified therefrom for use elsewhere. Such proteins include, but are not limited to retinoblastoma protein, p53, angiostatin, and leptin. Likewise, the methods of the invention can be used to produce mammalian regulatory proteins. Other sequences of interest include proteins, hormones, growth factors, cytokines, serum albumin, haemoglobin, collagen, etc.

Thus the target gene or nucleotide sequence preferably encodes a target protein which is : an insect resistance protein; a disease

resistance protein; a herbicide resistance protein; a mammalian protein.

Constructs & organisms

5

Preferably the target construct is a vector, and preferably it comprises border sequences which permit the transfer and integration of the expression cassette and MARs into the organism genome.

10

Preferably the construct is a plant binary vector. Preferably the binary transformation vector is based on pPZP (Hajdukiewicz, et al. 1994). Other example constructs include pBin19 (see Frisch, D. A., L. W. Harris-Haller, et al. (1995). "Complete Sequence of the binary vector Bin 19." Plant Molecular Biology 27: 405-409).

15

Preferably the construct used is substantially similar to pFAJ3163 shown in Figure 1 i.e. comprises the depicted features of that vector (or equivalents as described herein) in the recited order, and the gene of interest in place of the the B-glucuronidase reporter gene (*uidA*). In embodiments in which endogenes are being activated by a promoter or enhancer element, the coding region of the construct may be absent.

20

In one aspect the invention may further comprising the step of
25 regenerating a plant from the transformed plant cell.

30

Specific procedures and vectors previously used with wide success upon plants are described by Guerineau and Mullineaux (1993) (Plant transformation and expression vectors. In: Plant Molecular Biology Labfax (Croy RRD ed) Oxford, BIOS Scientific Publishers, pp 121-148). Suitable vectors may include plant viral-derived vectors (see e.g. EP-A-194809). If desired, selectable genetic markers may be included in the construct, such as those that confer selectable phenotypes such as resistance to antibiotics or herbicides (e.g. kanamycin,

hygromycin, phosphinotricin, chlorsulfuron, methotrexate, gentamycin, spectinomycin, imidazolinones and glyphosate).

5 Nucleic acid can be introduced into plant cells using any suitable technology, such as a disarmed Ti-plasmid vector carried by Agrobacterium exploiting its natural gene transfer ability (EP-A-270355, EP-A-0116718, NAR 12(22) 8711 - 87215 1984; the floral dip method of Clough and Bent, 1998), particle or microprojectile bombardment (US 5100792, EP-A-444882, EP-A-434616) microinjection (WO 10 92/09696, WO 94/00583, EP 331083, EP 175966, Green et al. (1987) *Plant Tissue and Cell Culture*, Academic Press), electroporation (EP 290395, WO 8706614 Gelvin Debeyser) other forms of direct DNA uptake (DE 4005152, WO 9012096, US 4684611), liposome mediated DNA uptake (e.g. Freeman et al. *Plant Cell Physiol.* 29: 1353 (1984)), or the 15 vortexing method (e.g. Kindle, *PNAS U.S.A.* 87: 1228 (1990d) Physical methods for the transformation of plant cells are reviewed in Oard, 1991, *Biotech. Adv.* 9: 1-11. Ti-plasmids, particularly binary vectors, are discussed in more detail below.

20 Agrobacterium transformation is widely used by those skilled in the art to transform dicotyledonous species. However there has also been considerable success in the routine production of stable, fertile transgenic plants in almost all economically relevant monocot plants (see e.g. Hiei et al. (1994) *The Plant Journal* 6, 271-282)).

25 Microprojectile bombardment, electroporation and direct DNA uptake are preferred where Agrobacterium alone is inefficient or ineffective. Alternatively, a combination of different techniques may be employed to enhance the efficiency of the transformation process, eg bombardment with Agrobacterium coated microparticles (EP- 30 A-486234) or microprojectile bombardment to induce wounding followed by co-cultivation with Agrobacterium (EP-A-486233).

The particular choice of a transformation technology will be determined by its efficiency to transform certain plant species as

well as the experience and preference of the person practising the invention with a particular methodology of choice.

It will be apparent to the skilled person that the particular choice of a transformation system to introduce nucleic acid into plant cells is not essential to or a limitation of the invention, nor is the choice of technique for plant regeneration. In experiments performed by the inventors, the enhanced expression effect is seen in a variety of integration patterns of the T-DNA.

Thus various aspects of the present invention provide a method of transforming a plant cell involving introduction of a construct of the invention into a plant tissue (e.g. a plant cell) and causing or allowing recombination between the vector and the plant cell genome to introduce a nucleic acid according to the present invention into the genome. This may be done so as to effect transient expression. Alternatively, following transformation of plant tissue, a plant may be regenerated, e.g. from single cells, callus tissue or leaf discs, as is standard in the art. Almost any plant can be entirely regenerated from cells, tissues and organs of the plant. Available techniques are reviewed in Vasil et al., *Cell Culture and Somatic Cell Genetics of Plants, Vol I, II and III, Laboratory Procedures and Their Applications*, Academic Press, 1984, and Weissbach and Weissbach, *Methods for Plant Molecular Biology*, Academic Press, 1989.

The generation of fertile transgenic plants has been achieved in the cereals rice, maize, wheat, oat, and barley (reviewed in Shimamoto, K. (1994) *Current Opinion in Biotechnology* 5, 158-162.; Vasil, et al. (1992) *Bio/Technology* 10, 667-674; Vain et al., 1995, *Biotechnology Advances* 13 (4): 653-671; Vasil, 1996, *Nature Biotechnology* 14 page 702).

Regenerated plants or parts thereof may be used to provide clones, seed, selfed or hybrid progeny and descendants (e.g. F1 and F2 descendants), cuttings (e.g. edible parts) etc.

The invention further provides a transgenic organism (for example obtained or obtainable by a method described herein) in which a heterologous target nucleotide sequence is expressed at an enhanced
5 level,

wherein the organism is deficient in one or more genes required to support PTGS,

which organism includes in its genome (a) an expression cassette including the target nucleotide sequence operably linked to a
10 promoter, and (b) one or more heterologous Matrix Attachment Regions (MARs) associated therewith.

The invention further comprises a method for generating a target protein, which method comprises the steps of performing a method (or
15 using an organism) as described above, and optionally harvesting, at least, a tissue in which the target protein has been expressed and isolating the target protein from the tissue.

Definitions

20

"Matrix attachment region" (MARs) are non coding DNA sequences that are thought to mediate the binding of chromatin to the proteinaceous nuclear matrix, thereby creating chromatin domains as topologically isolated units of gene regulation.

25

The term "heterologous" is used broadly below to indicate that the gene/sequence of nucleotides in question have been introduced into the cells in question (e.g. of a plant or an ancestor thereof) using genetic engineering, i.e. by human intervention. A heterologous gene
30 may replace an endogenous equivalent gene, i.e. one which normally performs the same or a similar function, or the inserted sequence may be additional to the endogenous gene or other sequence. Nucleic acid heterologous to a cell may be non-naturally occurring in cells of that type, variety or species. Thus the heterologous nucleic acid
35 may comprise a coding sequence of, or derived from, a particular type

of plant cell or species or variety of plant, placed within the context of a plant cell of a different type or species or variety of plant. A further possibility is for a nucleic acid sequence to be placed within a cell in which it or a homologue is found naturally, but wherein the nucleic acid sequence is linked and/or adjacent to nucleic acid which does not occur naturally within the cell, or cells of that type or species or variety of plant, such as operably linked to one or more regulatory sequences, such as a promoter sequence, for control of expression.

10

"Gene" unless context demands otherwise refers to any nucleic acid encoding genetic information for translation into a peptide, polypeptide or protein.

15

"Vector" is defined to include, inter alia, any plasmid, cosmid, phage, viral or *Agrobacterium* binary vector in double or single stranded linear or circular form which may or may not be self transmissible or mobilizable, and which can transform a prokaryotic or eukaryotic host either by integration into the cellular genome or exist extrachromosomally (e.g. autonomous replicating plasmid with an origin of replication). The constructs used will be wholly or partially synthetic. In particular they are recombinant in that nucleic acid sequences which are not found together in nature (do not run contiguously) have been ligated or otherwise combined.

20

25

artificially. Unless specified otherwise a vector according to the present invention need not include a promoter or other regulatory sequence, particularly if the vector is to be used to introduce the nucleic acid into cells for recombination into the genome.

30

"Binary Vector": as is well known to those skilled in the art, a binary vector system includes (a) border sequences which permit the transfer of a desired nucleotide sequence into a plant cell genome; (b) desired nucleotide sequence itself, which will generally comprise an expression cassette of (i) a plant active promoter, operably

35 linked to (ii) the target sequence and/or enhancer as appropriate.

The desired nucleotide sequence is situated between the border sequences and is capable of being inserted into a plant genome under appropriate conditions. The binary vector system will generally require other sequence (derived from *A. tumefaciens*) to effect the integration. Generally this may be achieved by use of so called "agro-infiltration" which uses *Agrobacterium*-mediated transient transformation. Briefly, this technique is based on the property of *Agrobacterium tumefaciens* to transfer a portion of its DNA ("T-DNA") into a host cell where it may become integrated into nuclear DNA. The T-DNA is defined by left and right border sequences which are around 21-23 nucleotides in length. The infiltration may be achieved e.g. by syringe (in leaves) or vacuum (whole plants). In the present invention the border sequences will generally be included around the desired nucleotide sequence (the T-DNA) with the one or more vectors being introduced into the plant material by agro-infiltration.

"Expression cassette" refers to a situation in which a nucleic acid is under the control of, and operably linked to, an appropriate promoter or other regulatory elements for transcription in a host cell such as a microbial or plant cell.

A "promoter" is a sequence of nucleotides from which transcription may be initiated of DNA operably linked downstream (i.e. in the 3' direction on the sense strand of double-stranded DNA).

"Operably linked" means joined as part of the same nucleic acid molecule, suitably positioned and oriented for transcription to be initiated from the promoter.

It will be appreciated that where a nucleotide sequence (e.g. a specific MAR, gene, polypeptide, promoter etc.) is referred to or exemplified herein, the invention should not be taken to be limited to use of the recited sequence, but also embraces use of a variants of any of these sequences. A variant sequence will be identical to

all or part of the sequence discussed and share the requisite activity, which activity can be confirmed using the methods disclosed or otherwise referred to herein or known to those skilled in the art. Generally speaking, wherever the term is used herein, variants may be

- 5 (i) naturally occurring homologous variants of the relevant sequence;
- (ii) artificially generated variants (derivatives) which can be prepared by the skilled person in the light of the present disclosure, for instance by site directed or random mutagenesis, or by direct synthesis. Preferably any variant sequence shares at
- 10 least about 75%, or 80% identity, most preferably at least about 90%, 95%, 96%, 97%, 98% or 99% identity with that specifically referred to. Similarity or homology in the case of variants is preferably established via sequence comparisons made using FASTA and FASTP (see Pearson & Lipman, 1988. Methods in Enzymology 183: 63-98).
- 15 Parameters are preferably set, using the default matrix, as follows: Gapopen (penalty for the first residue in a gap): -12 for proteins / -16 for DNA; Gapext (penalty for additional residues in a gap): -2 for proteins / -4 for DNA; KTUP word length: 2 for proteins / 6 for DNA. Homology may also be assessed by use of a probing methodology
- 20 (Sambrook et al., 1989). One common formula for calculating the stringency conditions required to achieve hybridization between nucleic acid molecules of a specified sequence homology is: $T_m = 81.5^{\circ}\text{C} + 16.6\text{Log} [\text{Na}^+] + 0.41 (\% \text{ G+C}) - 0.63 (\% \text{ formamide}) - 600/\text{\#bp}$ in duplex. As an illustration of the above formula, using $[\text{Na}^+] =$
- 25 $[0.368]$ and 50-% formamide, with GC content of 42% and an average probe size of 200 bases, the T_m is 57°C . The T_m of a DNA duplex decreases by 1 - 1.5°C with every 1% decrease in homology. Thus, targets with greater than about 75% sequence identity would be observed using a hybridization temperature of 42°C .

30

The invention will now be further described with reference to the following non-limiting Figures and Examples. Other embodiments of the invention will occur to those skilled in the art in the light of these.

35

The disclosure of all references cited herein, inasmuch as it may be used by those skilled in the art to carry out the invention, is hereby specifically incorporated herein by cross-reference.

5 FIGURES

Figure 1

10 Schematic representation of the T-DNA region of plant transformation vectors pFAJ3160 and pFAJ3163. Not to scale. *UidA*: β -glucuronidase coding region; *pat*: phosphinothricin acetyltransferase coding region; pNOS: nopaline synthase promoter; p35S: cauliflower mosaic virus 35S promoter; tOCS: octopine synthase terminator; tNOS: nopaline synthase terminator; ChilMAR: chicken lysozyme MAR; RB and 15 LB: right and left T-DNA border, respectively.

Figure 2

20 GUS activity is expressed in units GUS (nmoles 4-methylumbelliferone per min per mg total soluble protein) in first generation transgenic *A. thaliana* wild-type, *sgs2* and *sgs3* background transformed with pFAJ3160 and pFAJ3163.

Figure 3

25 SDS-PAGE analysis of total protein extracts (2 μ g/lane) from *sgs2* mutants transformed with pFAJ3163 (lanes 1 and 2); total protein extracts (2 μ g/lane) from non-transgenic plants (lane 3); 500ng bovine serum albumin (lane 4); partially purified β -glucuronidase (lane 5). 30 The position of GUS is indicated by the arrow to the right. The position of molecular weight reference proteins is indicated by arrows to the left.

SEQUENCES

Where a DNA sequence is specified, unless context requires otherwise,
 use of the RNA equivalent, with U substituted for T where it occurs,
 5 is encompassed.

Sequence Annex 1: Chicken lysozyme MAR

Sequence Annex 2: pFAJ3160

Sequence Annex 3: pFAJ3163

EXAMPLESMaterials and methods

15 Briefly, a set of transformation vectors was constructed without and
 with MARs flanking the genes of interest. To quantify transgene
 expression the b-glucuronidase reporter gene (*uidA*) driven by the 35S
 promoter of Cauliflower Mosaic Virus (p35S) was used. For each plant
 transformation vector *A. thaliana* populations consisting of at least
 20 30 primary transformants were obtained. The activity of the b-
 glucuronidase (GUS) enzyme in leaf extracts was measured and
 statistically evaluated.

Plant transformation vectors

25 All plant transformation vectors were constructed using the modular
 vector system as fully described in Goderis & De Bolle et al. (2002).
 pFAJ3160 and pFAJ3163 were assembled as previously described in De
 Bolle & Butaye et al. (2003) (see Sequence Annex).

Mutants

30 *sgs2* and *sgs3* mutants as described in Elmayan et al. (1998) and
 Mourrain et al. (2000). Seeds of the mutants were provided by Hervé
 Vaucheret, INRA Versailles.

Plant Transformation

All plant transformation vectors were introduced in *Agrobacterium tumefaciens* GV3101 (pMP90) by electroporation. The *A. tumefaciens* strains with the binary vectors were used to transform *A. thaliana* wild-type and mutant plants using the floral dip transformation method as described by Clough & Bent (1998). Transgenic plants were selected based on resistance against phosphinotricin and further grown as described by De Bolle & Butaye et al. (2003).

Enzyme Assays

b-Glucuronidase (GUS) activity was measured fluorometrically using 4-methylumbelliferyl glucuronide as a substrate and 4-methylumbelliferon as a standard according to Jefferson (1987). Total protein was determined by the method of Bradford (1976) using bovine serum albumin as a standard.

SDS-PAGE

Total leaf extracts and GUS standard (Sigma-Aldrich) were separated on a 12.5% SDS-PAGE and visualized by staining with Coomassie brilliant blue R250.

Results

The A element that flanks the chicken lysozyme gene (Phi-Van et al., 1990; chilMAR) has been shown to reduce transgene expression variability in tobacco (Mlynárová et al., 1994). To test the effect of chilMAR on transgene expression in *A. thaliana* plant transformation vectors without and with chilMARs flanking the T-DNA region were constructed, pFAJ3160 and pFAJ3163 respectively (Figure1).

ChilMAR in Col0

Transformation of wild-type *A. thaliana* plants with pFAJ3160 yielded an average GUS activity of 320 units (Table 1). The population of primary transformants consisted of about 80% low GUS expressing primary transformants (< 50 units GUS) and about 20% high GUS expressing primary transformants (>100 units GUS), a bimodal distribution typical for p35S-driven expression (Elmayan & Vaucheret, 1996; De Bolle & Butaye et al., 2003; Figure 2A). To test the influence of chilMARs on transgene expression, wild-type plants were transformed with pFAJ3163. This resulted in a pattern of GUS activity similar to the one obtained with pFAJ3160 (Table 1; Figure 2B). It was concluded that chilMARs have no significant influence on the level of transgene expression or on the variability of transgene expression in populations of first generation wild-type *A. thaliana* transformants (De Bolle & Butaye et al., 2003).

Table 1. GUS activity in first generation transgenic *Arabidopsis thaliana* wild-type, *sgs2* and *sgs3* background transformed with pFAJ3160 and pFAJ3163.

	GUS activity ^a			
	pFAJ3160 (- MAR)		pFAJ3163 (+ MAR)	
Background	No ^b	Mean \pm S.E. ^c	No ^b	Mean \pm S.E. ^c
Col0	36	320 \pm 135	36	186 \pm 81
<i>sgs2</i>	36	2280 \pm 399	34	11 237 \pm 1839
<i>sgs3</i>	33	830 \pm 177	30	9994 \pm 2006

^a GUS activity is expressed in units GUS (nmoles 4-methylumbelliferone per min per mg total soluble protein). ^b Number of primary transformants analyzed. ^c S.E., Standard error.

ChilMAR in *sgs2*

In a further attempt to elevate and level off transgene expression, *A. thaliana sgs2* mutants (Elmayan, et al., 1998) were used as the recipient for transformation instead of wild-type plants. *SGS2* encodes an RNA dependent RNA polymerase, which is presumed to play a key role in RNA silencing of transgenes (Mourrain, et al. 2000). Using this mutant background for transformation with pFAJ3160, average GUS activity in primary transformants increased almost 8-fold compared to wild-type plants (Table 1). The increase in average GUS activity at the population level was not due to an increase in activity of the high-expressing individuals but rather to a reduction of the incidence of individuals with low expression. About 80% of the transformants in the wild-type background had a GUS activity below 50 units GUS, whereas all *sgs2* transformants had a GUS activity above 180 units GUS (Figure 2C). Upon transformation of *sgs2* mutants with pFAJ3163, chilMARs caused a 5-fold increase in average GUS activity compared to pFAJ3160 in *sgs2*. Compared to pFAJ3160 in wild-type plants, the chilMARs caused a 40-fold boost of mean GUS activity in *sgs2* mutants (Table 1; Figure 2D).

Some of the *sgs2* transformants containing chilMAR-flanked transgenes reached extremely high GUS activity levels, up to 41 000 units GUS. Coomassie blue staining of an SDS-PAGE gel revealed a clear band in the total leaf extracts of extremely high GUS expressing *sgs2* mutants (Figure 3, lanes 1 & 2), which is not visible in the total leaf extracts of non-transgenic control plants (Figure 3, lane 3) and which is situated at the same position in the gel as the GUS standard (Figure 3, lane 5). By densitometric comparison of the intensities of this band to known amounts of bovine serum albumin (BSA; Figure 3, lane 4) we estimate that GUS accumulated to roughly 10% of the total soluble protein in the transgenic *sgs2* plants.

ChilMAR in sgs3

SGS3, like SGS2, plays a yet unknown key role in the RNA silencing mechanism and shows no similarity with any known or putative protein (Mourrain, et al., 2000). Using *sgs3* mutants for transformation with pFAJ3160, the average GUS activity was increased 2,5 fold in comparison the wild-type background (Table 1, Figure 2E). Transformation of *sgs3* plants with pFAJ3163 yielded a 30-fold increase of the average GUS activity in comparison to wild-type plants transformed with pFAJ3160.

References

- Allen, G.C., Spiker, S., Thompson, W.F. (2000). Use of matrix attachment regions (MARs) to minimize transgene silencing. *Plant Mol. Biol.* 43: 361-376.
- Anandalakshmi, R., Pruss, G.J., Ge, X., Marathe, R., Mallory, A.C., Smith, T.H., Vance, V.B. (1998) A viral suppressor of gene silencing in plants *Proc Natl Acad Sci U S A*, 95, 13079-1384.
- Bradford, M.M. (1976). A rapid and sensitive method for quantification of microgram quantities utilizing the principle of protein-dye binding, *Anal. Biochem.* 72: 248-254.
- Clough, S. J. & Bent, A. F. (1998). Floral dip: a simplified method for *Agrobacterium*-mediated transformation of *Arabidopsis thaliana*. *Plant J.* 16: 735-43.
- Dalmay, T., Hamilton, A., Rudd, S., Angell, S. and Baulcombe, D.C. (2000) An RNA-dependent RNA polymerase gene in *Arabidopsis* is required for posttranscriptional gene silencing mediated by a transgene but not by a virus. *Cell*, 101, 543-553.
- Dalmay, T., Horsefield, R., Braunstein, T.H. and Baulcombe D.C. (2001) SDE3 encodes an RNA helicase required for post-transcriptional gene silencing in *Arabidopsis*. *EMBO J.* 20, 2069-2078.
- De Bolle, M.F.C., Butaye, K.M.J., Coucke, W.J.W., Goderis, I.J.W.M., Wouters, F.J., van Boxel, N., Broekaert, W.F., Cammue, B.P.A. (2003). Analysis of the influence of promoter elements and a matrix attachment region on the inter-individual variation of transgene expression in populations of *Arabidopsis thaliana*. *Plant Science* 165: 169-179.

- Elmayan, T. & Vaucheret, H. (1996). Expression of single copies of a strongly expressed 35S transgene can be silenced post-transcriptionally. *Plant J.* 9:787-797.
- 5 Elmayan, T., Balzergue, S., Béon, F., Bourdon, V., Daubremet, J., Guénet, Y., Mourrain, P., Palauqui, J.-C., Vernhettes, S., Vialle, T., Wostrikoff, K., Vaucheret, H. (1998). *Arabidopsis* mutants impaired in cosuppression. *Plant Cell* 10: 1747-1757.
- 10 Epinat, J.C., Arnould, S., Chames, P., Rochaix, P., Desfontaines, D., Puzin, O., Patin, A., Zanghellini, A., Pâques, F., Lacroix, E. (2003). A novel engineered meganuclease induces homologous recombination in yeast and mamalian cells. *Nucleic Acids Res.*, 31: 2952-2962.
- 15 Fagard, M., Boutet, S., Morel, J.B., Bellini, C. and Vaucheret, H. (2000) AGO1, QDE-2, and RDE-1 are related proteins required for post-transcriptional gene silencing in plants, quelling in fungi, and RNA interference in animals. *Proc Natl Acad Sci U S A*, 97, 11650-11654.
- 20 Glazov, E., Phillips, K., Budziszewski, G.J., Meins, F., Levin, J.Z. (2003) A gene encoding an RNase D exonuclease-like protein is required for post-transcriptional silencing in *Arabidopsis*. *Plant J.* 35, 342-349.
- 25 Goderis, I.J.W.M., De Bolle, M.F.C., François, I.E.J.A., Wouters, P.F.J., Broekaert, W.F. & Cammue, B.P.A. (2002). A set of modular plant transformation vectors allowing flexible insertion of up to six expression units. *Plant Mol. Biol.* 50: 17-27.
- 30 Hajdukiewicz, P., Svab, Z. and Maliga P. 1994. The small, versatile pPZP family of *Agrobacterium* binary vectors for plant transformation. *Plant Mol. Biol.* 25: 989-994.

Hamilton, A.J. and Baulcombe, D.C. (1999) A species of small antisense RNA in posttranscriptional gene silencing in plants. *Science*, 286, 950-952.

- 5 Holmes-Davis, R., Comai, L. (1998). Nuclear matrix attachment regions and plant gene expression. *Trends Plant Sci.* 3: 91-97.

Jefferson, R.A. (1987). Assaying chimeric genes in plants : the GUS gene fusion system, *Plant Mol. Biol. Rep.* 5: 387-405.

10

Mlynárová, L., Loonen, A., Heldens, J., Jansen, R.C., Keizer, P., Stiekema, W.J., Nap, J.P. (1994). Reduced position effect in mature transgenic plants conferred by the chicken lysozyme matrix-associated region. *Plant Cell*, 6: 417-426.

15

Mourrain, P., Béclin, C., Elmayan, T., Feuerbach, F., Godon, C., Morel, J.-B., Jouette, D., Lacombe, A.-M., Nikic, S., Picault, N., Rémoüé, K., Sanial, M., Vo, T.-A., Vaucheret, H. (2000). *Arabidopsis* SGS2 and SGS3 genes are required for posttranscriptional gene silencing and natural virus resistance. *Cell*, 101: 533-542.

20

Odell, J.T., Nagy, F. and Chua, N.H. (1985) Identification of DNA sequences required for activity of the cauliflower mosaic virus 35S promoter. *Nature*, 313, 810-812.

25

Outchkourov, N.S., Peters, J., de Jong, J., Rademakers, W. and Jongsma, M.A. (2003) The promoter-terminator of chrysanthemum rbcS1 directs very high expression levels in plants. *Planta*, 216, 1003-1012.

30

Phi-Van, L., von Kries, J.P., Ostertag W. & Stratling, W.H. (1990). The chicken lysozyme 5' matrix attachment region increases transcription from a heterologous promoter in heterologous cells and dampens position effects on the expression of transfected genes. *Mol. Cell Biol.* 10: 2302-2307.

35

Verdaguer, B., de Kochko, A., Beachy, R.N., Fauquet, C. (1996).
Isolation and expression in transgenic tobacco and rice plants, of
the cassava vein mosaic virus (CVMV) promoter. *Plant Mol. Biol.* 31,
5 1129-1139.

Weigel, D., Ahn, J.H., Blazquez, M.A., Borevitz, J.O., Christensen,
S.K., Fankhauser, C., Ferrandiz, C., Kardailsky, I., Malancharuvil,
E.J., Neff, M.M., Nguyen, J.T., Sato, S., Wang, Z.Y., Xia, Y., Dixon,
10 R.A., Harrison, M.J., Lamb, C.J., Yanofsky, M.F., Chory, J. (2000).
Activation tagging in *Arabidopsis*. *Plant Physiol.* 122:1003-1013.

Wesley, S.V., Helliwell, C.A., Smith, N.A., Wang, M.B., Rouse, D.T.,
Liu, Q., Gooding, P.S., Singh, S.P., Abbott, D., Stoutjesdijk, P.A.,
15 Robinson, S.P., Gleave, A.P., Green, A.G., Waterhouse, P.M. (2001)
Construct design for efficient, effective and high-throughput gene
silencing in plants. *Plant J.* 27, 581-590.

Sequence Annex 1: Chicken lysozyme MAR

aaaccaatatattttccaaatgaaaaaaaaatctgataaaaagttgactttaaaaaagggtatcaataaat
 gtatgcattttctcactagccttaaaactctgcatgaagtgtttgatgagcagatgaagacaacatcattt
 5 ctagtttcagaaataataacagcatcaaaaccgcagctgtaactccactgagctcacgttaagttttga
 tgtgtgaatatctgacagaactgacataatgagcactgcaaggatatcagacaagtcaaaatgaagaca
 gacaaaagtttttttaataataaaaaatggcttttatttcttcaatacaaggtaaactactattgcagtt
 taagaccaacacaaaagttggacagcaaatgcttaacagtctcctaaaggctgaaaaaaggaacca
 tgaaagctaaaagttatgcagttttcaagtataacatctaaaaatgatgaaacgatccctaaaggtag
 10 agattaactaagtacttctgctgaaaatgtattaaaatccgcagttgctaggataccatcttaccttgt
 tgagaaatacaggtctccggcaacgcaacattcagcagactctttggcctgctggaatcaggaaactgc
 ttactatatacacatataaaatcctttggagttgggcattctgagagacatccatttctgacattttgc
 agtgcaactctgcattccaaactcagacaagctcccatgctgtatttcaaagccatttcttgaatagttt
 acccagacatccttgtgcaaattgggaatgaggaaatgcaatggtacaggaagacaatacagccttatg
 15 tttagaaagtcagcagcgtggtaatcttcataaaaaatgtaactgttttccaaataggaatgtatttca
 cttgtaaaaacacctggctctttttatattacttttttttttttaaggacacctgcactaatttgcaa
 tcacttgtattttataaaagcacacgcactcctcattttcttacatttgaagatcagcagaatgtctctt
 tcataatgtaataatcatatgcacagtttaaaatattttctattacaaaatacagtacacaagaggggtg
 aggccaaagtctattacttgaatatattccaaagtgtcagcactgggggtgtaaaattacattacatgg
 20 tatgaataggcggaattctttttacaactgaaatgctcgatttcatgggatcaaaggtaagtactgttt
 actatcttcaagagacttcaatcaagtcggtgtattttccaaagaagcttaaaagattgaagcacagaca
 caggccacaccagagcctacacctgctgcaataagtgggtgctatagaaaggattcaggaactaacaagt
 gcataattttacaaatagagatgctttatcatactttgcccacatgggaaaaaagacatcccattgagaa
 tatccaactgaggaacttctctgtttcatagtaactcatctactactgctaagatggtttgaaaagtac
 25 ccagcaggtgagatatgttcgggaggtggctgtgtggcagcgtgtcccaacacgacacaaagcacccca
 cccctatctgcaatgctcactgcaaggcagtgccgtaaacagctgcaacaggcatcacttctgcataaa
 tgctgtgactcggttagcatgctgcaactgtgtttaaaacctatgcaactccgttacccaaaataatttaag
 tcccaataaaatccatgcagcttgcttcctatgccaacatatttttagaaagtattcattcttctttaag
 aatatgcacgtggatctacacttcctgggatctgaagcgattttatacctcagttgcagaagcagtttag
 30 tgtcctggatctgggaaggcagcagcaaacgtgcccgttttacatttgaacctatgtgacaacccgcct
 tactgagcatcgctctaggaaatttaaggctgtatccttacaacacaagaaccaacgacagactgcata
 taaaattctataaataaaaaataggagtgaagtctgtttgacctgtacacacagagcatagagataaaaa
 aaaaaggaaatcaggaattacgtattttctataaatgccatatatttttactagaaaacacagatgacaag
 tatatacaacatgtaaatccgaagtattcaacatgttaactaggaaaacattttacaagcatttgggtat
 35 gcaactagatcatcaggtaaaaaatcccattagaaaaatctaagcctcgccagttttcaaagggaaaaaa

ccagagaacgctcactacttcaaaggaaaaaaaataaagcatcaagctggcctaaacttaataaggtat
ctcatgtaacaacagctatccaagctttcaagccacactataaataaaaaacctcaagttccgatcaacg
ttttccataatgcaatcagaaccaaaggcattggcacagaaagcaaaaagggaatgaaagaaaagggt
gtacagttttccaaaagggtcttcttttgaagaaatgtttctgacctgtcaaaacatacagtccagtaga
5 aattttactaagaaaaagaacaccttacttaaaaaaaaaaaaaacaacaaaaaacaggcaaaaaaac
tctcctgtcactgagctgccaccaccaaccaccacctgctgtgggctttgtctccaagacaaaggac
acacagccttatccaatattcaacattacttataaaaacgctgatcagaagaaataccaagtatttcct
cagagactgttatatcctttcatcggcaacaagagatgaaatacaacagagtgaatatcaaagaaggcg
gcaggagccaccgtggcaccatcacggggcagtgcagtgcccaactgccgttttctgagcacgcatagg
10 aagccgtcagtcacatgtaataaaccaaacctggtacagttatattat

Sequence Annex 2: VpFAJ3160: 11169 bp

5 agtactttgatccaaccctccgctgctatagtgcagtcggcttctgacgttcagtgcagccgtcttct
gaaaacgacatgtcgcacaagtcctaagttacgcgacaggctgccgccctgcccttttctggcggtttt
cttgctcgcgtgttttagtcgcataaagtagaatacttgcgactagaaccggagacattacgccatgaac
aagagcgccgcccgtggcctgctgggctatgcccgcgtcagcaccgacgaccaggacttgaccaaccaa
cgggcccgaactgcacgcggccggctgcaccaagctgttttccgagaagatcacccggcaccaggcgcgac
10 cgccccggagctggccaggatgcttgaccacctacgccctggcgacgttgtagacagtgaccaggctagac
cgccctggcccgacacccgcgacctaactggacattgccgagcgcatccaggaggccggcgcgggcctg
cgtagcctggcagagccgtgggcccgcacaccacgcggccggccgcatggtgttgaccgtgttcgcc
ggcattgccgagttcgagcgttcctaatacatcgacccgagcgggcgcgaggccgccaaggcc
cgaggcgtgaagtttggccccgcctaccctcaccccggcacagatcgcgacgcccgcgagctgac
15 gaccaggaaggccgcaccgtgaaagaggcggtgactgcttgccgtgcatcgctcgaccctgtaccgc
gcacttgagcgcagcgaggaagtgcgcccaccgaggccaggcgggcgcggtgccttccgtgaggacgca
ttgaccgaggccgacgccttgccggccgaggaatgaacgccaagaggaacaagcatgaaaccgcacc
aggacggccaggacgaaccgtttttcattaccgaagagatcgaggcggagatgatcgcgccgggtacg
tgttcgagccgcccgcgacgtctcaaccgtgcggctgcatgaaatcctggccggtttgtctgatgcca
20 agctggcgccctggccggccagcttgccgctgaagaaaccgagcgcccgccgtctaaaaaggatgatgtg
tatttgagtaaaacagcttgcgatcggtcgctgcgtatatgatgcgatgagtaataaacaataac
gcaaggggaacgcatgaaggttatcgctgtacttaaccagaaaggcggtcaggcaagacgaccatcgc
aaccatctagcccgcgccctgcaactcgccggggccgatgttctgtagtcgattccgatccccaggg
cagtggccgcgattggcgggccgtgcgggaagatcaaccgctaaccgttgctggcatcgaccggccgac
25 gattgaccgcgacgtgaaggccatcgccggcgcgacttcgtagtgatcgacggagcgccccaggcggc
ggacttggtgtgtccgcatcaaggcagccgacttcgtgctgattccggtgcagccaagcccttacga
catatgggcccaccgcccgcactgggtggagctggttaagcagcgcatcgagggtcacggatggaaggctaca
agcggcctttgtcggtgtcgcgggcgatcaaaggcagcgcatcgccggtgaggttgccgaggcgctggc
cgggtacgagctgccattcttgagtccggtatcacgcagcgctgagctaccaggcactgccgcccgc
30 cggcacaaccgttcttgaatcagaacccgagggcgacgctgcccgcgaggtccaggcgctggccgctga
aattaaatcaaaactcatttgagttaatgaggtaaagagaaaatgagcaaaagcacaacacgctaagt
gccggccgtccgagcgacgcagcagcaaggctgcaacgctggccagcctggcagacacgccagccatg
aagcgggtcaactttcagttgccggcgaggatcacaccaagctgaagatgtacgcggtacgccaaggc
aagaccattaccgagctgctatctgaatacatcgcgagctaccagagtaaatgagcaaatgaataaat
35 gagtagatgaatttttagcggctaaaggaggcgcatggaaaatcaagaacaaccaggcaccgacgcccgt

ggaatgccccatgtgtggaggaacgggcggttggccaggcgtaagcggctgggttgtctgccggccctg
 caatggcactggaaccccccaagcccaggaatcggcgtgacggctgcaaaccatccggcccggtacaaa
 tcggcgcgggcgctgggtgatgacctggtggagaagttgaaggccgcgaggccgcccagcggcaacgca
 tcgaggcagaagcacgccccggtgaatcgtggcaagcggccgctgatcgaatccgcaaagaatcccggc
 5 aaccgcccgcagccggtgcgccgtcgattaggaagccgcccaggcgacgagcaaccagattttttcg
 ttccgatgctctatgacgtgggcacccgcgatagtcgcagcatcatggacgtggccgttttccgtctgt
 cgaagcgtgaccgacgagctggcgaggtgatccgctacgagcttcagacgggcacgtagaggtttccg
 cagggccggccggcatggccagtgtgtgggattacgacctggtactgatggcggtttcccatctaaccg
 aatccatgaaccgataccgggaagggaaggagacaagcccgccgcgtgttccgtccacacgttgccg
 10 acgtactcaagttctgccggcgagccgatggcggaagcagaaagacgacctggtagaaacctgcattc
 ggttaaaccaccacgcacgttgccatgcagcgtacgaagaaggccaagaacggccgcctggtgacgggat
 ccgaggggtgaagccttgattagccgctacaagatcgtaaagagcgaaccgggcccggagtagcatcg
 agatcgagctagctgattggatgtaccgagatcacagaaggcaagaaccggacgtgctgacgggtc
 accccgattactttttgatcgatcccggcatcgccgtttttctctaccgcctggcacgcccgcgcgag
 15 gcaaggcagaagccagatgggtgttcaagacgatctacgaacgcagtggcagcgccggagagttcaaga
 agttctgtttcaccgtgcgcaagctgatcgggtcaaatacctgaccggagtagcatttgaaggaggagg
 cggggcaggctggcccgatcctagtcgatgcgctaccgcaacctgatcgaggcggaagcatccgcggtt
 cctaattgtacggagcagatgctagggcaaattgccctagcaggggaaaaaggctcgaagggtctctttc
 ctgtggatagcacgtacattgggaacccaaagccgtacattgggaaccggaacccgtacattgggaacc
 20 caaagccgtacattgggaacccggtcacacatgtaagtgactgatataaaagagaaaaaaggcgattttt
 ccgcctaaaactcttttaaaacttattaaaactcttaaaacccgcctggcctgtgcataactgtctggcc
 agcgcacagcgaagagctgcaaaaagcgcctacccttcggtcgctgcgctccctacgccccgcgctt
 cgcgtcggcctatcgcgccgctggccgctcaaaaatggctggcctacggccaggcaatctaccaagggc
 gcggaacagccgcgcgctgcgcaactcgaccgcccgcgccacatcaaggcacctgcctcgcggtttc
 25 ggtgatgacggtgaaaacctctgacacatgcagctcccggagacggtcacagcttgtctgtaagcggat
 gccgggagcagacaagcccgtcagggcgcgctcagcgggtgttggcggtgtcggggagcagccatgacc
 cagtcacgtagcgatagcggagtgtatactggcttaactatgcggcatcagagcagattgtactgagag
 tgcaccatatgcggtgtgaaataaccgcacagatgcgtaaggagaaaaataccgcacagcgctcttccg
 cttcctcgctcactgactcgctgcgctcggtcggttcggctgcggcgagcgggtatcagctcactcaaagg
 30 cggtaatacgggttatccacagaatcaggggataacgcaggaaagaacatgtgagcaaaaaggccagcaaa
 aggccaggaaccgtaaaaaggccgcttgctggcggtttttccataggctccgccccctgacgagcatc
 aaaaaatcgacgctcaagtcagaggtggcgaaacccgacaggactataaagataccaggcggtttccc
 ctggaagctccctcgctgcgctctcctgttccgacctgcgcttaccggatacctgtccgcctttctcc
 cttcgggaagcgtggcgcttttctcatagctcacgctgtaggtatctcagttcggtgtaggtcggtcgct
 35 ccaagctgggctgtgtgcacgaaccccccggttcagcccgaaccgctgcgccttatccggtaactatcgctc

ttgagtccaacccggtaagacacgacttatcgccactggcagcagccactggtaacaggattagcagag
cgaggtatgtaggcggtgctacagagttcttgaagtgggtggcctaactacggctacactagaaggacag
tatttggtatctgcgctctgctgaagccagttaccttcggaaaaagagttggtagctcttgatccggca
aacaaccaccgctggttagcgggtggttttttgtttgcaagcagcagattacgcgcagaaaaaaggat
5 ctcaagaagatcctttgatcttttctacggggtctgacgctcagtggaaacgaaaactcacgttaaggga
ttttggatcatgcatgatatactctccaattttgtgtagggcttattatgcacgcttaaaaaataaaaag
cagacttgacctgatagtttggctgtgagcaattatgtgcttagtgcatctaactcgcttgagttaacgc
cggcgaagcggcgctcggcttgaacgaatttctagctagacattatttgccgactaccttggtgatctcg
cctttcacgtagtggaacaaattcttccaactgatctgcgcgcgagggccaagcgatcttcttctgtcca
10 agataagcctgtctagcttcaagtatgacgggctgatactgggcccggcaggcgctccattgcccagtcg
gcagcgacatccttcggcgcgattttgccggttactgcgctgtaccaaagcgggacaacgtaagcact
acatttcgctcatcgccagcccagtcgggcccgcgagttccatagcgttaaggtttcatttagcgcctca
aatagatcctgttcaggaaccggatcaaagagttcctccgctggacctaccaaggcaacgctatgt
tctcttgcttttgtcagcaagatagccagatcaatgtcgatcgtggctggctcgaagataacctgcaaga
15 atgtcattgcgctgccattctccaaattgcagttcgcgcttagctggataacgccacggaatgatgtcg
tcgtgcacaacaatggtgacttctacagcgcggagaatctcgctctctccagggggaagccgaagtttcc
aaaaggctcgttgatcaaagctcgccgcggttgtttcatcaagccttacggtcaccgtaaccagcaaatca
atatcactgtgtggcttcaggccgccatccactgcggagccgtacaaatgtacggccagcaacgctcgggt
tcgagatggcgctcgatgacgccaactacctctgatagttgagtcgatacttcggcgatcacccgcttcc
20 cccatgatgtttaactttgttttagggcgactgcctgctgcgtaacatcggttgctgctccataacatc
aaacatcgacccacggcgtaacgcgcttgctgcttggtgagccgagcatagactgtacccccaaaaaaa
catgtcataacaagaagccatgaaaaccgccactgcgcggttaccaccgctgcggttcggtcaagggttct
ggaccagttgcgtgacggcagttacgctacttgcatcacgcttacgaaccgaacgaggttatgtcca
ctgggttcgtgcccgaattgatcacaggcagcaacgctctgtcatcggttacaatcaacatgctaccctc
25 cgcgagatcatccgtgtttcaaaccggcagcttagttgccgttcttccgaatagcatcggttaacatga
gcaaagctctgcgccttacaacggctctcccgctgacgccgtcccggactgatgggctgcctgtatcga
gtggtgattttgtgccgagctgcgggtcggggagctggttggtggctgggtggcaggatatattgtggtg
taaacaattgacgcttagacaacttaataacacattgcggacgtttttaatgtactgaattaacgccg
aattgaattcaggcctgtcgacgcccggcggtaccgcgatcgctcgcgacctgcaggcataaagccgt
30 cagtgctccgcataaagaaccaccataataaccataatagctgtttgccatcgctaccttaggaccgtt
atagttaacgggtgaattcccgatctagtaacatagatgacaccgcgcgataatttatcctagtttg
cgcgctataattttgttttctatcgctattaaatgtataattgcgggactctaatacaaaaaaccatc
tcataaataacgtcatgcatgattacattgtaattattacatgcttaacgtaattcaacagaaattatatga
taatcatcgcaagaccggcaacaggattcaatcttaagaaactttattgccaatgtttgaacgatcgg
35 ccggccgagctcggttagcaattcccagggtgtagccgacgatggtgccaccaggagagttggtgatc

attgtttgctccctgctgcggtttttcaccgaagttcatgccagtcagcggttttgcagcagaaaag
 ccgccgacttcggtttgcggtcgcgagtgaaagatccctttctgtttaccgccaacgcgcaatatgcctt
 gcgaggtcgcaaaatcggcgaaattccatacctgttcaccgacgacggcgctgacgcgatcaaagacgc
 ggtgatacatatccagccatgcacactgatactcttcaactccacatgtcggtgtacattgagtgacgcc
 5 cggctaacgtatccacgccgtattcggtgatgataatcggctgatgcagtttctcctgccaggccagaa
 gttctttttccagtaccttctctgcggtttccaaatcgccgctttggacataccatccgtaataacggt
 tcaggcacagcacatcaaagagatcgctgatggatcggtgtgagcgctgcgagaacattacattgacgc
 aggtgatcggacgcgctcgggtcgagtttacgcgttgcttcgccagtgggcgcaaatattcccgtgcac
 cttgcggacgggtatccggttcggttggaatactccacatcaccacgcttgggtgggtttttgtcacgcg
 10 ctatcagctctttaatcgccgtgtaagtgcgcttgctgagtttccccgttgactgcctcttcgctgtaca
 gttctttcggttggtgcccgttcgaaaccaatgcctaaagagaggttaaagccgacagcagcagttt
 catcaatcaccacgatgccatggtcatctgccagtcgagcatctcttcagcgtaagggtaatgcgagg
 tacggtaggagttggcccaatccagtcattaatgcgtggctgcgacatcagcacgttatcgaatc
 ctttgccacgcaagtcgcgatcttcatgacgaccaaagccagtaaaagtagaacggtttgtggttaatca
 15 ggaactgttcgcccttcaactgccactgaccgatgccgacgcgaagcgggtagatatcacactctgtct
 ggcttttggtgtgacgcacagttcatagagataaccttcacccggttgccagaggtgaggattcacca
 cttgcaaagtcccgttagtgcttgtccagttgcaaccacctgttgatccgcgatcacgcagttcaacgc
 tgacatcaccattggccaccacctgccagtcaacagacgcgtggttacagtcttgccgcgacatgcgtca
 ccacggtgatatcgctccaccaggtgttcggcggtggtgtagagcattacgctgcgatggattccggcat
 20 agttaaagaaatcatggaagtaagactgctttttcttgccggtttcgtcggtaatcaccattcccggcg
 ggatagtctgccagttcagttcgttggtcacacaaacggtgatacgtacacttttcccggaataaagat
 acggcgtagacatcggcttcaaattggcggtatagccgcccgtgatgctccatcaacttctgattattgaccc
 acactttgccgtaattgagtgaccgcgatcgaaacgcagcacgatacgctggcctgcccacactttcggt
 taaagacttcgcgctgataccagacggttgccgcataattacgaatatctgcatcggcgaaactgatcgt
 25 taaaactgcctggcacagcaattgcccggtttcttgtaacgcgctttccaccaacgctgatcaattc
 cacagttttcgcgatccagactgaatgccacaggccgtcgagtttttgatttcacgggttggggttt
 ctacaggacgtaacataagggactgacctaccggggatcctctagagccatggtgtttaacggttaac
 tgtaattgtaaatagtaattgtaattgtttgtttgtttgtttgtttgtttgttaattgttgtaaaaaatact
 cgaggtcctctccaaatgaaatgaacttccttatatagaggaagggcttgcggaaggatagtgaggattg
 30 tgcgtcatcccttacgtcagtgagatcacatcaatccacttgctttgaagacgtggttggaacgctc
 ttcttttttccacgatgctcctcggtgggtgggggtccatctttgggaccactgtcggcagaggcatctt
 caacgatggcctttcctttatcgcaatgatggcattttagaggccaccttccttttccactatcttca
 caataaagtgcagatagctgggcaatggaatccgaggaggtttccggatattaccctttgttgaaaag
 tctcaattgccctttggtcttctgagactgtatctttgatatttttgagtagacaagtgtgtcgtgct
 35 ccacatgttatcacatcaatccacttgctttgaagacgtggttggaacgctcttcttttttccacgatg

ctcctcgtgggtgggggtccatctttgggaccactgtcggcagaggcatcttcaacgatggcctttcct
ttatcgcaatgatggcattttgtaggagccaccttccttttccactatcttcacaataaagtgcagata
gctgggcaatggaatccgaggaggtttccggatattaccctttgttgaaaagtctcaattgccctttgg
tcttctgagactgtatctttgatatttttggagtagacaagtgtgtcgtgctccaccatgttcaagctt
5 gcgccgctcgctaccttaggaccgttatagttaattaccctgttatccctattaattaagagctcgct
accttaagagaggatatcggcgcgcgaattcgcgctctatcatagatgtcgctataaacctattcagc
acaatatattgttttcattttaattgtacatataagtagtagggtacaatcagtaaattgaacggag
aatattattcataaaaaatacगतtagtaacgggtgatataattcattagaatgaaccgaaaccggcggtaa
ggatctgagctacacatgctcaggttttttacaacgtgcacaacagaattgaaagcaaatatcatgcca
10 tcataggcgctctcgcatatctcattaaagcagctggaagatttgatggatccctcatcagatctcggtga
cgggcaggaccggacggggcggtaccggcaggctgaagtccagctgccagaaaccacgtcatgccagt
tcccgtgcttgaagccggccgcccgcagcatgccgcggggggcatatccgagcgcctcgtgcatgcgca
cgctcgggtcggttgggcagcccgatgacagcgaccacgctcttgaagccctgtgcctccagggaacttca
gcagggtgggtgtagagcgtggagcccagtcccgtccgctgggtggcggggggagacgtacacgggtcgact
15 cgccgtccagtcgtaggcgttgctgccttccagggcccgctaggcgatgccggcgacctcgccgt
ccacctcggcgacgagccagggatagcgctcccgacagcgagaggtcgctccgtccactcctgcggtt
cctgcggctcggtacggaagttgaccgtgcttgtctcgatgtagtggttgacgatggtgcagaccgccg
gcatgtccgcctcggtggcacggcggtatgtcgccggggcgctcggttctgggctcatggtagatctgttta
aacgttaacggattgagagtgaatatgagactctaattggataaccgaggggaatttatggaacgtcagt
20 ggagcatttttgacaagaaatatttgctagctgatagtgaccttaggcgacttttgaacgcgcaataat
ggtttctgacgtatgtgcttagctcattaaactccagaaaccgcggctgagtggtccttcaatcggtt
gcggttctgtcagttccaaacgtaaaacggcttgtcccgcgtcatcggcgggggtcataacgtgactcc
cttaattctcgctcatgatcaagcttggcgcgcctctagaatttaaattggtacctacgtactcgagaa
gcttagcttgagcttggatcagattgtcggttccgccttcagtttaaactatcagtgtttgacaggat
25 atattggcggttaaacctaagagaaaagagcggttattagaataacggatatttaaaagggcggtgaaaa
ggtttatccgttcgtccattttgtatgtgcatgccaaccacagggttcccctcgggatcaa

Sequence Annex 3: VpFAJ3163: 17062 bp.

atttgatatgtgcatgccaaccacaggggttcccctcgggatcaaagtactttgatccaaccctccgctg
 5 ctatagtgcagtcggcttctgacgttcagtgcagccgtcttctgaaaacgacatgtcgcacaagtccta
 agttacgcgacaggctgccgccctgcccttttcttggtgttcttctgctgcgtgttttagtcgcataaa
 gtagaatacttgcgactagaaccggagacattacgccatgaacaagagcgccgctggcctgctggg
 ctatgcccgctcagcaccgacgaccaggacttgaccaaccaacggggccgaactgcacgcggccggctg
 caccaagctgttttccgagaagatcacccggcaccaggcgcgaccgcccggagctggccaggatgcttga
 10 ccacctacgccctggcgacgttgtgacagtgaaccaggctagaccgcctggcccgcagcaccgcgcacct
 actggacattgccgagcgcattccaggaggccggcgcgggcctgcgtagcctggcagagccgtggggccga
 caccaccacgcccggccggccgcgcatggtgttgaccgtgttcgccggcattgccgagttcgagcgttcctt
 aatcatcgaccgcaccggagcgggcgcgaggccgccaaggcccgaggcgtgaagtttgcccccgccc
 taccctcaccccggcacagatcgcgcacgcccgcgagctgatcgaccaggaaggccgcaccgtgaaaga
 15 ggcggctgcaactgcttggcgtgcatcgctcgaccctgtaccgcgcacttgagcgcagcaggaagtgac
 gccaccgaggccaggcgggcgcggtgccttccgtgaggacgcattgaccgaggccgacgccctggcggc
 cgccgagaatgaacgccaagaggaacaagcatgaaaccgcaccaggacggccaggacgaaccgttttctc
 attaccgaagagatcgaggcggagatgatcgcgggccgggtacgtgttcgagccgcccgcgcacgtctca
 accgtgcggctgcatgaaatcctggccgggttctgtctgatgccaagctggcggcctggccggccaagcttg
 20 gccgtgaagaaaccgagcgcgccgtctaaaaaggtgatgtgtatttgagtaaaacagcttgctcat
 gcggctcgtgcgtatatgatgcgatgagtaataaacaatacgcaaggggaacgcatgaagggttctcg
 ctgtacttaaccagaaaggcggtcaggcaagacgaccatcgcaaccatctagcccgcgccctgcaac
 tcgccggggccgatgttctgttagtcgattccgatcccagggcagtgcccgcgattggggcgccgtgc
 ggggaagatcaaccgctaaccgttgtcgcatcgaccgcccagcagattgaccgcgacgtgaaggccatcg
 25 gccggcgcgacttcgtagtgatcgacggagcgccccaggcgggcggaacttggtgtgtccgcgatcaagg
 cagccgacttcgtgctgattccgggtgcagccaagcccttacgacatatgggccaccgcccagcctgggtg
 agctgggttaagcagcgcattgaggtcacggatggaaggctacaagcggcctttgtcgtgtcgcgggcga
 tcaaaggcacgcgcacgcgggtgaggttgcgaggcgctggccgggtacgagctgccattcttgagt
 cccgtatcacgcagcgcgtgagctaccaggcactgccgccgcccgcacaaccgttcttgaatcagaac
 30 ccgagggcgacgctgcccgcgaggtccaggcgctggccgctgaaattaaatcaaaactcatttgagtta
 atgaggtaaagagaaaaatgagcaaaagcacaacacgctaagtgcggccgtccgagcgcacgcagcag
 caaggctgcaacgcttggccagcctggcagacacgcagccatgaagcgggtcaactttcagttgccggc
 ggaggatcacaccaagctgaagatgtacgcggtacgccaaggcaagaccattaccgagctgctatctga
 atacatcgcgcagctaccagagtaaagtagcaaatgaataaatgagtagatgaatttttagcggctaaag
 35 gaggcggcacatggaataatcaagaacaaccaggcaccgacgccgtggaatgccccatgtgtggagggaacgg

gcggttggccaggcgtaagcggctgggttgtctgccggccctgcaatggcactggaaccccccaagcccg
aggaatcggcgtgacggtcgcaaaccatccggcccgggtacaaatcggcgcggcgctgggtgatgacctg
gtggagaagttgaaggccgcgagggcccgccagcggcaacgcacatcgaggcagaagcacgccccggtgaa
tcgtggcaagcggccgctgatcgaatccgcaaagaatcccggcaaccgcccggcagccgggtgcgcccgtcg
5 attaggaagccgcccgaagggcgacgagcaaccagatttttttcgttccgatgctctatgacgtgggcacc
cgcgatagtcgcagcatcatggacgtggccggttttccgtctgtcgaagcgtgaccgacgagctggcgag
gtgatccgctacgagcttccagacgggacgtagaggtttccgcagggccggccggcatggccagtgtg
tggtattacgacctggtactgatggcggtttcccatctaaccgaatccatgaaccgataccgggaaggg
aagggagacaagcccggccgcgtgttccgtccacacgttgcggaactcaagttctgccggcgagcc
10 gatggcggaagcagaaagacgacctggtagaaacctgcattcgggttaaaccaccacgcacgttgccatg
cagcgtacgaagaaggccaagaacggccgcctggtgacggtatccgaggggtgaagccttgattagccgc
tacaagatcgtaaagagcgaaaccgggcccggagtagacatcgagatcgagctagctgattggatgtac
cgcgagatcacagaaggcaagaaccggacgtgctgacggttcccccgattactttttgatcgatccc
ggcatcggccggttttctctaccgcctggcacgcccgcggcaggcaaggcagaagccagatggttgttc
15 aagacgatctacgaacgcagtgccgagcggagagttcaagaagttctgtttcaccgtgcgcaagctg
atcgggtcaaatacctgccggagtagcatttgaaggaggaggcggggcaggctggcccgatcctagtc
atgcgtaccgcaacctgatcgagggcgaagcatccgcgggttcctaatagtacggagcagatgctaggg
caaattgccctagcaggggaaaaagggtcgaaaagggtctctttcctgtggatagcacgtacattgggaac
ccaaagccgtacattgggaaccggaaccggtacattgggaacccaaagccgtacattgggaaccggtca
20 cacatgtaagtgactgatataaaagagaaaaaggcgatttttccgcctaaaactctttaaaacttatt
aaaactcttaaaaccgcctggcctgtgcataactgtctggccagcgcacagccgaagagctgcaaaaa
gcgcctacccttcggctcgctgcgtccctacgccccgcgcttcgcgtcggcctatcgcgccgctggc
cgctcaaaaatggctggcctacggccaggcaatctaccagggcgcggaagccgcgcgctgcgactc
gaccgcccggcgcccatcaaggcacctgcctcgcgcggttcgggtgatgacggtgaaaacctctgaca
25 catgcagctcccggagacggtcacagcttgtctgtaagcggatgccgggagcagacaagcccgtcaggg
cgcgtcagcgggtgttggcgggtgtcggggcgagccatgaccagtcacgtagcagtagcggagtgt
tactggcttaactatgcggcatcagagcagattgtactgagagtgaccatatgcggtgtgaaataccg
cacagatgcgtaaggagaaaaataccgcatcaggcgctcttccgcttcctcgctcactgactcgctgcgc
tcggctcgcttcggctgcggcgagcggtatcagctcactcaaaggcggtatacgggttatccacagaatca
30 ggggataacgcaggaaagaacatgtgagcaaaaggccagcaaaaggccaggaaccgtaaaaaggccgcg
ttgctggcggtttttccataggctccgccccctgacgagcatcacaaaaatcgacgctcaagtcagagg
tgggcaaacccgacaggactataaagataccaggcggtttccccctggaagctccctcgtgcgctctcct
gttccgacctgcccgttacccgatacctgtccgcctttctcccttcgggaagcgtggcgctttctcat
agctcacgctgtaggtatctcagttcggtgtaggtcgttcgctccaagctgggctgtgtgcacgaaccc
35 cccggttcagcccgaaccgctgcgccttatccggtaactatcgctcttgagtccaacccggtaagacacgac

ttatcgccactggcagcagccactggtaacaggattagcagagcgaggtatgtaggcgggtgctacagag
 ttcttgaagtgggtggcctaactacggctacactagaaggacagtatttgggtatctgcgctctgctgaag
 ccagttaccttcggaaaaagagttggtagctcttgatccggcaaacaccacgctggtagcggtggt
 ttttttgtttgcaagcagcagattacgcgcagaaaaaaggatctcaagaagatcctttgatcttttct
 5 acggggctctgacgctcagtggaaacgaaaactcacgttaagggattttgggtcatgcatgatatatctccc
 aatttgtgtagggcttattatgcacgcttaaaaaataataaaagcagacttgacctgatatgttggctgt
 gagcaattatgtgcttagtgcatctaatacgcttgagttaacgccggcggaagcggcgctcggcttgaacga
 atttctagctagacattatttgcgactaccttgggtgatctcgcctttcacgtagtggacaaattcttc
 caactgatctgcgcgcgaggccaagcgatcttcttctgtccaagataagcctgtctagcttcaagtat
 10 gacgggctgatactgggccggcaggcgtccattgcccagtcggcagcgacatccttcggcgcgatttt
 gccggttactgcgctgtaccaaatacggggacaacgtaagcactacatttcgctcatcgccagcccagtc
 gggcgcgagttccatagcgttaaggtttcatttagcgcctcaaatagatcctgttcaggaaccggatc
 aaagagttcctccgccgctggacctaccaaggcaacgctatgttctctgttttgtcagcaagatagc
 cagatcaatgtcgatcgtggctggctcgaagatacctgcaagaatgtcattgcgctgccattctccaaa
 15 ttgcagttcgcgcttagctggataacgccacggaatgatgtcgtcgtgcacaacaatggtgacttctac
 agcgcggagaatctcgctctctccaggggaagccgaagttttccaaaaggctcgttgatcaaagctcgccg
 cgttgtttcatcaagccttacggtcaccgtaaccagcaaatcaatatcactgtgtggcttcaggcggcc
 atccactgcggagccgtacaaatgtacggccagcaacgctcgggttcgagatggcgctcgatgacgcgaac
 taectctgatagttgagtcgatacttcggcgatcacgcgttccccatgatgtttaactttgttttagg
 20 gcgactgccctgctgcgtaacatcgttgctgctccataacatcaaacatcgacccacggcgtaacgcgc
 ttgctgcttggtatgcccgaggcatagactgtaccccaaaaaacatgtcataacaagaagccatgga
 ccgccaactgcgcggttaccacgctgcgttcgggtcaagggttctggaccagttgcgtgacggcagttacg
 ctacttgcattacagcttacgaaccgaacgaggttatgtccactgggttcgtgcggaattgatcaca
 ggcagcaacgctctgtcatcgttacaatcaacatgctaccctccgcgagatcatccgtgtttcaaacc
 25 ggcagcttagttgccgttcttcgaatagcatcggttaacatgagcaaaagtctgccgccttacaacggct
 ctcccgtgacgcgctcccggactgatgggctgcctgtatcgagtgggtgattttgtgccgagctgccgg
 tcggggagctgttggctggctgggtggcaggatatattgtgggtgtaaaaaattgacgcttagacaactt
 aataacacattgcggacgttttttaattgactgaattaacgccgaattgaattcaggcctgtcgactcta
 gaaaaccaatatatttccaaatgaaaaaaaaatctgataaaaagttgactttaaaaaaggatatcaataa
 30 atgtatgcatttctcactagccttaaaactctgcatgaagtgtttgatgagcagatgaagacaacatcat
 ttctagtttcagaaataataacagcatcaaaaccgcagctgtaactccactgagctcacgttaagtttt
 gatgtgtgaatatctgacagaactgacataatgagcactgcaaggatatcagacaagtcaaatgaaga
 cagacaaaagtatttttaataataaaaaatggcttttatttcttcaatacaaggtaaaactactattgcag
 ttaagaccaacacaaaagttggacagcaaatgcttaacagctctcctaaaggctgaaaaaaaggaacc
 35 catgaaagctaaaagttatgcagttttcaagtataacatctaaaaatgatgaaacgatccctaaagggt

agagattaactaagtacttctgctgaaaatgtattaaaatccgcagttgctaggataccatcttacctt
 gttgagaaatacaggtctccggcaacgcaacattcagcagactctttggcctgctggaatcaggaaact
 gcttactatatacacatataaatcctttggagttgggcattctgagagacatccatttcctgacatttt
 gcagtgcaactctgcattccaactcagacaagctcccatgctgtattttcaaagccatttcttgaatagt
 5 ttaccagacatccttgtgcaaattgggaatgaggaaatgcaatggtacaggaagacaatacagcctta
 tgtttagaaagtcagcagcgctggtaatcttcataaaaatgtaactgttttccaaataggaatgtattt
 cacttgtaaaacacctggtcctttttatattactttttttttttttaaggacacctgcactaatttgc
 aatcacttgattttataaaagcacacgcactcctcattttcttacatttgaagatcagcagaatgtctc
 tttcataatgtaataatcatatgcacagtttaaaatattttctattacaaaatacagtacacaagagg
 10 tgaggccaaagtctattacttgaatatattccaaagtgtcagcactgggggtgtaaaattacattacat
 ggtatgaataggcggaattcttttacaactgaaatgctcgatttcattgggatcaaaggtaagtactgt
 ttactatcttcaagagacttcaatcaagtcgggtgtattttccaaagaagcttaaaagattgaagcacaga
 cacaggccacaccagagcctacacctgctgcaataagtgggtgctatagaaaggattcaggaactaaca
 gtgcataattttacaaatagagatgctttatcatactttgcccacatgggaaaaaagacatcccatgag
 15 aatatccaactgaggaacttctctgtttcatagtaactcatctactactgctaagatggtttgaaaagt
 acccagcaggtgagatatgttcgggaggtggctgtgtggcagcgtgtcccaacacgcacaaaagcacc
 caccctatctgcaatgctcactgcaaggcagtgccgtaaacagctgcaacaggcatcacttctgcata
 atgctgtgactcggttagcatgctgcaactgtgtttaaaacctatgcactccgttaccaaataattta
 agtcccaaataaatccatgcagcttgcttcctatgccaacatatttttagaaagtattcattcttcttta
 20 agaatatgcacgtggatctacacttccctgggatctgaagcgattttatacctcagttgcagaagcagttt
 agtgtcctggatctgggaaggcagcagcaaacgtgccggttttacatttgaacccatgtgacaacccgc
 ctactgagcatcgctctaggaatttaaggctgtatccttacaacacaagaaccaacgcagactgca
 tataaaattctataaataaaaaataggagtgaagtctgtttgacctgtacacacagagcatagagataaa
 aaaaaaaggaaatcaggaattacgtattttctataaatgccatataatttttactagaaacacagatgaca
 25 agtatatacaacatgtaaatccgaagttatcaacatgttaactaggaaaacattttacaagcatttgggt
 atgcaactagatcatcaggtaaaaaatcccattagaaaaatctaagcctcgccagtttcaaaggaaaa
 aaccagagaacgctcactacttcaaaggaaaaaaaataaagcatcaagctggcctaaacttaataaggt
 atctcatgtaacaacagctatccaagctttcaagccacactataaataaaaaacctcaagttccgatcaa
 cgttttccataatgcaatcagaaccaaaggcattggcacagaaagcaaaaagggaatgaaagaaaagg
 30 ctgtacagtttccaaaagggtcttcttttgaagaaatgtttctgacctgtcaaaacatacagtcagta
 gaaattttactaagaaaaaagaacaccttacttaaaaaaaaaaaaaacaacaaaaaacaggcaaaaaa
 cctctcctgtcactgagctgccaccaccaaccaccacctgctgtgggctttgtctcccaagacaaagg
 acacacagccttatccaatattcaacattacttataaaaaacgctgatcagaagaaataccaagtatttc
 ctgagagactgttatatcctttcatcggaacaagagatgaaatacaacagagtgaatatcaaagaagg
 35 cggcaggagccaccgtggcaccatcacccgggcagtgagtgcccaactgccggttttctgagcacgcata

ggaagccgtcagtcacatgtaataaaccaaacctgggtacagttatattatggatccccgggtaccgcg
 atcgctcgcgacctgcaggcataaagccgtcagtggtccgcataaagaaccacccataatacccataata
 gctgtttgccatcgctaccttaggacgggttatagttaacgggtgaattcccgatctagtaacatagatg
 acaccgcgcgcgataatttatcctagtttgcgcgctatatattttgttttctatcgcggtattaaatgtata
 5 attgcgggactctaatacataaaaacccatctcataaataacgtcatgcattacatgttaattattacat
 gcttaacgtaattcaacagaaatttatatgataatcatcgcaagaccggcaacaggattcaatcttaaga
 aactttattgccaaatgtttgaacgatcggccggccgagctcggtagcaattcccgaggctgtagccga
 cgatgggtgccaccaggagagttgttgattcattgtttgcctccctgctgcggtttttcaccgaagttca
 tggcagtcacgagctttttgcagcagaaaagccgccgacttcggtttgcggtcgcgagtgatgaagatccctt
 10 tcttggtaccgccaacgcgcaatatgccttgcgaggctcgaaaatcggcgaaattccatacctgttcac
 cgacgacggcgctgacgcgatcaaagacgggtgatacatatccagccatgcacactgatactcttcac
 tccacatgtcggtgtacattgagtgacgcccgggtaacgtatccacgcccgtattcggtgatgataatcg
 gctgatgcagtttctcctgccaggccagaagttctttttccagtaccttctctgccgtttccaaatcgc
 cgctttggacataccatccgtaataacggttcaggcacagcacatcaaagagatcgctgatgggtatcgg
 15 tgtgagcgtcgcagaacattacattgacgcaggtgatcggacgcgctcggttcgagtttacgcgttgctt
 ccgccagtggcgcgaaatattcccggtgcaccttgcgagcgggtatccgggttcggttggaataactccaca
 tcaccacgcttgggtgggtttttgtcacgcgctatcagctctttaatcgcttgtaagtgcgcttgctgag
 tttccccgttgactgcctcttcgctgtacagttctttcggttggtgcccgttcgaaaccaatgctta
 aagagaggttaaagccgacagcagcagtttcatcaatcaccacgatgccatgttcatctgccagtctga
 20 gcatctcttcagcgtaagggtaatgagaggtagcgttaggagttggccccaatccagtcattaatgcgt
 ggtcgtgcacatcagcacggttatcgaatcctttgccacgcaagtccgcattcttcagcacgaccaaagc
 cagtaaagtagaacggtttgtggttaatcaggaactgttcgcccttcaactgccactgaccggatgcgga
 cgcgaagcgggtagatatcacactctgtctggctttttggctgtgacgcacagttcatagagataacctt
 caccgcgttgccagaggtgaggattcaccacttgcaaagtcccgctagtgccttgtccagttgcaacca
 25 cctggtgatccgeatcacgcagttcaacgctgacatcaccattggccaccacctgccagtcacagacg
 cgtgggttacagtcttgcgcgacatgcgtcaccacgggtgatatcggtccaccagggtgttcggcggtggtg
 agagcattacgctgcgatggattccggcatagttaaagaaatcatggaagtaagactgctttttcttgc
 cgttttcgtcggtaatcaccattcccgcggggatagttcgcagttcagttcggtgttcacacaaacgg
 tgatacgtacacttttcccggaataacatacggcgtgacatcggttcaaattggcgtatagccgccct
 30 gatgctccatcacttctctgattattgacccacactttgccgtaatgagtgaccgcatcgaaacgcgagca
 cgatacgtggcctgcccacactttcggtataaagacttcgcgctgataccagacggttcccgcataat
 tacgaatatctgcatcggcgaactgatcggttaaactgcctggcacagcaattgcccggtttcttgta
 acgcgctttccaccaacgctgatcaattccacagttttcgcgatccagactgaatgccacagggcgt
 cgagttttttgatcttccgggttgggtttctacaggacgtaacataagggactgacctacccggggat
 35 cctctagagccatgggtgtttaaacgttaactgtaattgtaaatagtaattgtaattgttgtttgtt

gttggttggtgtaattgttgtaaaaaatactcgaggctcctctccaaatgaaatgaacttccttatataga
ggaagggctcttgcaaggatagtgaggattgtgcgtcatcccttacgtcagtgaggagatcacatcaatc
cacttgctttgaagacgtgggttggaacgtcttctttttccacgatgctcctcgtgggtgggggtccat
ctttgggaccactgtcggcagaggcatcttcaacgatggcctttcctttatcgcaatgatggcatttgt
5 aggagccaccttccttttccactatcttcacaataaagtgcagatagctgggcaatggaatccgagga
ggtttccggatattaccctttgttgaaaagtctcaattgccctttgggtcttctgagactgtatctttga
tatttttggagtagacaagtgtgtcgtgctccaccatgttatcacatcaatccacttgctttgaagacg
tggttggaacgtcttcttttttccacgatgctcctcgtgggtgggggtccatctttgggaccactgtcg
gcagaggcatcttcaacgatggcctttcctttatcgcaatgatggcatttgtaggagccaccttccttt
10 tccactatcttcacaataaagtgcagatagctgggcaatggaatccgaggagggttccggatattacc
ctttgttgaaaagtctcaattgccctttgggtcttctgagactgtatctttgatatttttggagtagaca
agtgtgtcgtgctccaccatgttcaagcttgccggcgcgtcgctaccttaggaccgttatagttaattac
cctgttatccctattaattaagagctcgctaccttaagagagaccggtgaattcgcgctctatcataga
tgctgctataaacctattcagcacaatatattgttttcattttaatatgtacataaagtagtaggggt
15 acaatcagtaaattgaacggagaatatatttcataaaaaatacgatagtaacgggtgatataattcattag
aatgaaccgaaaccggcggttaaggatctgagctacacatgctcagggttttttacaacgtgcacaacaga
attgaaagcaaatatcatgcatcataggcgtctcgcatatctcattaaagcagctggaagatttgatg
gacctcatcagatctcgggtgacgggcaggaccggacggggcggtaccggcaggctgaagtccagctgc
cagaaaccacgtcatgccagttcccgtgcttgaagccggccgcccgcagcatgccgsgggggcatat
20 ccgagcgctcgtgcatgcgcacgctcgggtcggtgggcagcccgatgacagcgaccacgctcttgaag
ccctgtgcctccaggacttcagcaggtgggtgtagagcgtggagcccagtcctcgctcgttggtggcg
ggggagacgtacacggctcgactcggccgtccagtcgtaggcgttgctgccttccagggggcccgctag
gcgatgccggcgacctcgccgtccacctcggcgacgagccagggatagcgtcccgcagacggacgagg
tcgtccgtccactcctgcggttccctgcggctcgggtacggaagttgaccgtgcttgcctcgtatgtagtg
25 ttgacgatggtgcagaccgcccggcatgtccgcctcgtgggcagggcggtatgtcggccgggctgcttct
gggctcatggtagatctgtttaaacgttaacggattgagagtgaatatgagactctaattggataaccga
ggggaatttatggaacgtcagtgaggcatttttgacaagaaatatttgctagctgatagtgacctagg
cgacttttgaacgcgcaataatggtttctgacgtatgtgcttagctcattaaactccagaaaccgcgg
ctgagtggtccttcaatcggttgcgggtctgtcagttccaaacgtaaaacggcttgtcccgcgtcatcg
30 ggggggtcataacgtgactcccttaattctccgctcatgatcaagcttgccggccgcgcgccctcta
gaaaaccaatatatttccaaatgaaaaaaaatctgataaaaagttgactttaaaaaaggtatcaataa
atgtatgcatttctcactagccttaaaactctgcatgaagtgttgatgagcagatgaagacaacatcat
ttctagtttccagaaataataacagcatcaaaaccgcagctgtaactccactgagctcacgttaagtttt
gatgtgtgaatatctgacagaactgacataatgagcactgcaaggatatcagacaagtcaaaatgaaga
35 cagacaaaagtattttttaataaaaaatgggtctttatttcttcaatacaaggtaaactactattgcag

ttttaagaccaacacaaaaagttggacagcaaattgcttaacagtctcctaaggctgaaaaaaggaacc
 catgaaagctaaaagttatgcagtatTTTcaagtataacatctaaaaatgatgaaacgatccctaaggT
 agagattaactaagtacttctgctgaaaatgtattaaaatccgcagttgctaggataccatcttacctt
 gttgagaaatacaggtctccggcaacgcaacattcagcagactctttggcctgctggaatcaggaaact
 5 gcttactatatacacatataaaatcctttggagttgggcattctgagagacatccatttcctgacatttt
 gcagtgcaactctgcattccaactcagacaagctcccatgctgtatttcaaagccatttcttgaatagt
 ttaccagacatccttgtgcaaattgggaatgaggaaatgcaatggtacaggaagacaatacagcctta
 tgtttagaaagtcagcagcgctggtaatcttcataaaaatgtaactgttttccaaataggaatgtattt
 cacttgtaaaacacctggtccttttttatattactttttttttttttaaggacacctgcactaatttgc
 10 aatcacttgattttataaaagcacacgcactcctcattttcttacatttgaagatcagcagaatgtctc
 tttcataatgtaataatcatatgcacagtttaaaatattttctattacaaaatacagtacacaagaggg
 tgaggccaaagtctattacttgaatatattccaaagtgtcagcactgggggtgtaaaattacattacat
 ggtatgaataggcggaattcttttacaactgaaatgctcgatttccattgggatcaaaggtaagtactgt
 ttactatcttcaagagacttcaatcaagtcggtgtatttccaaagaagcttaaaagattgaagcacaga
 15 cacaggccacaccagagcctacacctgctgcaataagtgggtgctatagaaaggattcaggaactaaca
 gtgcataattttacaaatagagatgctttatcatactttgccaacatgggaaaaagacatcccatgag
 aatatccaactgaggaacttctctgtttcatagtaactcatctactactgctaagatggtttgaaaagt
 acccagcaggtgagatatgttcgggaggtggctgtgtggcagcggtgtcccaacacgacacaaagcacc
 caccctatctgcaatgctcactgcaaggcagtgccgtaaacagctgcaacaggcatcacttctgcata
 20 aatgctgtgactcgtttagcatgctgcaactgtgtttaaaacctatgcactccgttaccaaataattta
 agtcccaaataaatccatgcagcttgcttcctatgccacataatttagaaagtattcattcttcttta
 agaatatgcacgtggatctacacttctctgggatctgaagcgatttataacctcagttgcagaagcagttt
 agtgtcctggatctgggaaggcagcagcaaacgtgcccgttttacatttgaacctatgtgacaaccg
 cttactgagcatcgctctaggaaatttaaggctgtatccttacaacacaagaaccaacgacagactgca
 25 tataaaattctataaataaaaataggagtgaagtctgtttgacctgtacacacagagcatagagataaa
 aaaaaaaggaaatcaggaattacgtatttctataaatgccatatatttttactagaacacagatgaca
 agtatatacaacatgtaaatccgaagttatcaacatgttaactaggaaaacatttacaagcatttgggt
 atgcaactagatcatcaggtaaaaaatcccattagaaaaatctaagcctcgccagtttcaaaggaaaa
 aaccagagaacgctcactacttcaaaggaaaaaaaataaagcatcaagctggcctaaacttaataaggT
 30 atctcatgtaacaacagctatccaagctttcaagccacactataaataaaaacctcaagttccgatcaa
 cgttttccataatgcaatcagaaccaaaggcattggcacagaaagcaaaaagggaatgaaagaaaagg
 ctgtacagtttccaaaagggttcttcttttgaagaaatgtttctgacctgtcaaaacatacagtccagta
 gaaattttactaagaaaaagaacaccttacttaaaaaaaaaaaaaacaacaaaaaacaggcaaaaaa
 cctctcctgtcactgagctgccaccaccaaccaccactgctgtgggctttgtctccaagacaaagg
 35 acacacagccttatccaatattcaacattacttataaaaacgctgatcagaagaaataccaagtatttc

ctcagagactggttatatcctttcatcggcaacaagagatgaaatacaacagagtgaatatcaaagaagg
cggcaggagccaccgtggcaccatcacccgggcagtgcagtgcccaactgccgttttctgagcacgcata
ggaagccgtcagtcacatgtaataaaccaaacctgggtacagttatattatggatcctacgtactcgag
aagcttagcttgagcttggatcagattgtcgtttcccgccttcagtttaaactatcagtgtttgacagg
5 atatattggcgggtaaacctaagagaaaagagcggtttattagaataacggatatttaaaggcggtgaa
aaggtttatccgttcgtcc




Figure .1




Figure 2




Figure 3

Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/GB04/005058

International filing date: 30 November 2004 (30.11.2004)

Document type: Certified copy of priority document

Document details: Country/Office: GB
Number: 0327919.7
Filing date: 02 December 2003 (02.12.2003)

Date of receipt at the International Bureau: 17 February 2005 (17.02.2005)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record.**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☒ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☒ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.